

12.10.2023

Certificate of Analysis

From 27.09.2023 to 12.10.2023 We examined on behalf of company Vita-World Holding GmbH, Röderweg 26, 65232 Taunusstein with our test report number 3315865-135534 with the sample code "Artischocke 400 mg (60 Kps) - vitaworld" for the following parameters:

- **Aerobic mesophilic plate count (total plate count)**
- **Arsenic (As)**
- **Benzo(a)anthracene**
- **Benzo(a)pyrene**
- **Benzo(b)fluoranthene**
- **Cadmium (Cd)**
- **Chrysene**
- **Dichlorprop (after hydrolysis)**
- **Dinoterb (after hydrolysis)**
- **Enterobacteriaceae**
- **Escherichia coli**
- **Fluazifop (after hydrolysis)**
- **Fluroxypyr (after hydrolysis)**
- **Haloxypop (after hydrolysis)**
- **Lead (Pb)**
- **Plant protection products (in a scope known to the customer)**
- **MCPA (after hydrolysis)**
- **MCPB (after hydrolysis)**
- **Mercury (Hg)**
- **Moulds**
- **Pyridate (after hydrolysis)**
- **Quizalofop (after hydrolysis)**
- **Salmonella spp. in 10g**
- **Staphylococcus, coagulase-positive in 1 g**
- **Sum of MCPA, MCPB (after hydrolysis)**
- **Sum Reg. (EC) 2023/915 (PAH)**
- **Yeasts**
- **2,4-D (after hydrolysis)**
- **2,4-DB (after hydrolysis)**
- **2,4,5-T (after hydrolysis)**

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany with regard to the information given in the test report.

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



M. Häge
Your labs. Your service.

Frau Michelle Häge
officially approved foodchemist
customer relation management



This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

AGROLAB LUFA GmbH

Dr.-Hell-Str. 6, 24107 Kiel, Germany
www.agrolab.de



12.10.2023

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>