

11.07.2023

Certificate of Analysis

From 03.07.2023 to 10.07.2023 We examined on behalf of company Vita-World Holding GmbH, Röderweg 26, 65232 Taunusstein with our test report number 3275602-864737 with the sample code "Cistus 500 (60 Kps), vitaworld / 11A-Apofy" for the following parameters:

- Aerobic mesophilic plate count (total plate count)
- Arsenic (As)
- Benzo(a)anthracene
- Benzo(a)pyrene
- Benzo(b)fluoranthene
- Cadmium (Cd)
- Chrysene
- Enterobacteriaceae
- Plant protection products (in a scope known to the customer)
- Escherichia coli
- Lead (Pb)
- Mercury (Hg)
- Moulds
- Salmonella spp. in 25g
- Sum Reg. (EC) 2023/915 (PAH)
- Yeasts

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



Frau Dr. Julia Kirschning
Customer Relation Management

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>