

AGROLAB LUFA GmbH

Dr.-Hell-Str. 6, 24107 Kiel, Germany
www.agrolab.de

AGROLAB LUFA Dr.-Hell-Str. 6, 24107 Kiel

Vita-World Holding GmbH
Röderweg 26
65232 Taunusstein

Date 25.08.2025
Customer no. 10087048

REPORT

Order 3654857 Probeneingang August 2025
Sample no. 731231
Invoice recipient 10087089 Vita-World GmbH
Project 5857 Monatlicher Probeneingang
Sample acceptance 19.08.2025
Date of sampling no information
Sample taker Client
Customer sample description Vitamin B Komplex (100 Kps) - vitaworld, 11A-Apofy
Art.-no. 09239487 / 16044040
LOT-No./Batch C0161244
BBD 05.2028
Packaging 3x Original, 41,3 g, 180 Tabl.

Unit Result Ph.Eur. Capsule/tab Reg. (EU) Substance Method
2023/915

Trace elements / Heavy metals / Halogenides

Lead (Pb)	mg/kg	<0,50	3	OM	DIN EN 15763 : 2010-04
Cadmium (Cd)	mg/kg	<0,20	1	OM	DIN EN 15763 : 2010-04
Mercury (Hg)	mg/kg	<0,02	0,1	OM	DIN EN 13806 : 2002-11
Arsenic (As)	mg/kg	<0,50		OM	DIN EN 15763 : 2010-04

Microbiological examinations

Aerobic mesophilic plate count (total plate count)	cfu/g	<100 (LOD) ^{mv}	2000	OM	DIN EN ISO 4833-1 : 2022-05
Escherichia coli	in 1g	not detected	n.d.	OM	DIN EN ISO 16649-3 : 2018-01
Yeasts	cfu/g	<100 (LOD)	200	OM	ISO 21527-2 : 2008-07
Moulds	cfu/g	<100 (LOD)	200	OM	ISO 21527-2 : 2008-07

^{mv}) The limit of quantification/detection had to be increased, because the material had to be diluted due to its consistency.

Explanation: The symbol "<" or n.q. in the result column means, the parameter concerned is not quantifiable at the limit of quantification shown opposite.

The sign "<"...."(LOD)" or n.d. in column result means, the parameter concerned cannot be detected within the limit of detection.

Explanation: OM = on original matter; DM = on dry matter base

According to the extent of the analysis the sample complies with the requirements of Commission Regulation (EU) 2023/915 of 25 April 2023 on maximum levels for certain contaminants in food, in version currently in force. According to the extent of the analysis the criteria based on chapter 5.1.4 of the European Pharmacopoeia in the currently valid version are complied.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Dr.-Hell-Str. 6, 24107 Kiel, Germany
www.agrolab.de

REPORT

Verkehrsfähigkeit:

Obengenanntes Produkt entspricht nach Art und Umfang der dargelegten Prüfungen den Vorschriften des deutschen Lebensmittelrechts und ist aus hiesiger Sicht insoweit in Deutschland verkehrsfähig.

Marketability:

The above-named product meets according to the manner and extent of the presented testings the provisions of German Food Law. In this respect and in our opinion the product is marketable in Germany.

Start of testing: 19.08.2025
End of testing: 25.08.2025

The results are related only to the samples tested. In cases where the laboratory has not been responsible for sampling, the reported results apply to the samples as received. The laboratory is not responsible for the information provided by the customer. The customer information, if any, presented in this test report is not subject to the accreditation of the laboratory and may affect the validity of the test results. Duplication of this document or of parts of it requires the authorization from laboratory.

In conformity assessment, the economic approach is used as the decision rule (a non-conformity exists if the measurement result is included measurement uncertainty above the specification or standard), as long as nothing else has been determined by corresponding legal or normative bases.



AGROLAB LUFA Service-Team L3, Tel. 0431/1228-339

Group leader: Maike von Fintel

Food chemist/counter-sampling expert

Copies

Vita-World Holding GmbH