AGROLAB LUFA GmbH

Dr.-Hell-Str. 6, 24107 Kiel, Germany www.agrolab.de



16.10.2023

Certificate of Analysis

Escherichia coli

Salmonella spp. in 10g

Sum Req. (EC) 2023/915 (PAH)

Staphylococcus, coagulase-positive in 1 g

· Lead (Pb)

Moulds

Yeasts

Mercury (Hg)

From 10.10.2023 to 16.10.2023 We examined on behalf of company Vita-World Holding GmbH, Röderweg 26, 65232 Taunusstein with our test report number 3321480-145577 with the sample code "Granatapfel 500 mg (60 Kps) - vitaworld" for the following parameters:

- Aerobic mesophilic plate count (total plate count)
- Arsenic (As)
- Benzo(a)anthracene
- Benzo(a)pyrene
- Benzo(b)fluoranthene
- Cadmium (Cd)
- Chrysene
- Enterobacteriaceae
- Plant protection products (in a scope known to the customer)

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany with regard to the information given in the test report.

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.



Frau Michelle Häge officially approved foodchemist customer relation management



This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: https://www.agrolab.com/de/agb

AG Kiel